



TSUBAKI Nr. Kat	Symb. ISO	Podziałka P [mm]	Śred. rolki R [mm]	Szer. wewn. W [mm]	Sworzeń			Płytki				Rozstaw C [mm]	Wytrzymał. na rozciąganie [kN]	Waga [kg/m]	Liczba ogniw na odcinek 5m	
					D [mm]	Li [mm]	L2 [mm]	T [mm]	t [mm]	H [mm]	h [mm]					
SIMPLEX																
RS05B	05B	8.00	5.00	3.00	2.30	3.80	4.70	0.75	0.75	7.1	7.1	-	5.0	0.18	626	
RS06B	06B	9.525	6.35	5.72	3.28	6.35	7.65	1.27	1.0	8.2	8.2	-	9.0	0.39	526	
RS08B	08B	12.70	8.51	7.75	4.45	8.40	10.0	1.6	1.6	11.8	10.4	-	19.0	0.70	394	
RS10B	10B	15.875	10.16	9.65	5.08	9.55	11.25	1.5	1.5	14.7	13.7	-	23.0	0.95	316	
RS12B	12B	19.05	12.07	11.68	5.72	11.20	13.10	1.8	1.8	16.1	16.1	-	31.0	1.25	264	
RS16B	16B	25.40	15.88	17.02	8.28	17.75	19.95	4.0	3.2	21.0	21.0	-	70.0	2.70	198	
RS20B	20B	31.75	19.05	19.56	10.19	19.90	23.1	4.4	3.4	26.0	26.0	-	98.1	3.85	158	
RS24B	24B	38.10	25.40	25.40	14.63	26.65	31.85	6.0	5.6	33.4	31.2	-	167	7.45	132	
RS28B	28B	44.45	27.94	30.99	15.90	32.45	37.45	7.5	6.3	36.4	36.4	-	200	9.45	114	
RS32B	32B	50.80	29.21	30.99	17.81	32.10	37.70	7.0	6.3	42.2	41.6	-	255	10.25	100	
RS40B	40B	63.50	39.37	38.10	22.89	39.25	45.05	8.5	8.0	52.9	52.0	-	373	16.35	80	
RS48B	48B	76.20	48.26	45.72	29.23	49.15	60.95	12.1	10.0	63.8	59.8	-	565	25.00	66	
DUPLEX																
RS05B-2	05B-2	8.00	5.00	3.00	2.30	6.65	7.52	0.75	0.75	7.1	7.1	5.64	7.85	0.35	626	
RS06B-2	06B-2	9.525	6.35	5.72	3.28	11.43	12.57	1.27	1.0	8.2	8.2	10.24	17.0	0.75	526	
RS08B-2	08B-2	12.70	8.51	7.75	4.45	15.30	16.90	1.6	1.6	11.8	10.4	13.92	32.0	1.35	394	
RS10B-2	10B-2	15.875	10.16	9.65	5.08	17.85	19.55	1.5	1.5	14.7	13.7	16.59	44.5	1.85	316	
RS12B-2	12B-2	19.05	12.07	11.68	5.72	20.85	22.75	1.8	1.8	16.1	16.1	19.46	61.0	2.50	264	
RS16B-2	16B-2	25.40	15.88	17.02	8.28	33.55	35.75	4.0	3.2	21.0	21.0	31.88	128	5.40	198	
RS20B-2	20B-2	31.75	19.05	19.56	10.19	38.25	41.45	4.4	3.4	26.0	26.0	36.45	197	7.65	158	
RS24B-2	24B-2	38.10	25.40	25.40	14.63	50.80	56.00	6.0	5.6	33.4	31.2	48.36	335	14.65	132	
RS28B-2	28B-2	44.45	27.94	30.99	15.90	62.15	67.15	7.5	6.3	36.4	36.4	59.56	374	18.80	114	
RS32B-2	32B-2	50.80	29.21	30.99	17.81	61.25	66.85	7.0	6.3	42.2	41.6	58.55	485	20.10	100	
RS40B-2	40B-2	63.50	39.37	38.10	22.89	75.40	81.20	8.5	8.0	52.9	52.0	72.29	716	32.00	80	
RS48B-2	48B-2	76.20	48.26	45.72	29.23	95.00	106.8	12.1	10.0	63.8	59.8	91.21	1.000	50.00	66	
TRIPLEX																
RS05B-3	05B-3	8.00	5.00	3.00	2.30	9.45	10.34	0.75	0.75	7.1	7.1	5.64	11.2	0.53	626	
RS06B-3	06B-3	9.525	6.35	5.72	3.28	16.90	17.50	1.27	1.0	8.2	8.2	10.24	24.9	1.11	526	
RS08B-3	08B-3	12.70	8.51	7.75	4.45	22.25	23.85	1.6	1.6	11.8	10.4	13.92	47.5	2.00	394	
RS10B-3	10B-3	15.875	10.16	9.65	5.08	26.15	27.85	1.0	1.5	14.7	13.7	16.59	66.8	2.80	316	
RS12B-3	12B-3	19.05	12.07	11.68	5.72	30.60	32.50	1.8	1.8	16.1	16.1	19.46	92	3.80	264	
RS16B-3	16B-3	25.40	15.88	17.02	8.28	49.50	51.70	4.0	3.2	21.0	21.0	31.88	192	8.00	198	
RS20B-3	20B-3	31.75	19.05	19.56	10.19	56.50	59.70	4.4	3.4	26.0	26.0	36.45	295	11.45	158	
RS24B-3	24B-3	38.10	25.40	25.40	14.63	75.10	80.20	6.0	5.6	33.4	31.2	48.36	500	21.75	132	
RS28B-3	28B-3	44.45	27.94	30.99	15.90	91.95	96.95	7.5	6.3	36.4	36.4	59.56	560	28.20	114	
RS32B-3	32B-3	50.80	29.21	30.99	17.81	90.50	96.10	7.0	6.3	42.2	41.6	58.55	729	29.90	100	
RS40B-3	40B-3	63.50	39.37	38.10	22.89	111.50	117.30	8.5	8.0	52.9	52.0	72.29	1.080	47.75	80	
RS48B-3	47B-3	76.20	48.26	45.72	29.23	140.40	152.20	12.1	10.0	63.8	59.8	91.21	1.520	75.00	66	